

Review Protocol

2 Week Review Protocol

Surgical Review: \leq 2 weeks post-surgery, OPG taken

Restorative Review: \leq 2-3 weeks post-surgery:

1. Clean access holes and use appropriate implant driver to confirm the restorative screws are tightening to manufacturer's specification. (Straumann is 35Ncm and Southern Implants is 35Ncm)
2. Fill screw access holes with temporary filling material (eg. Telio Inlay, CLIP or Cavit)
3. Adjust occlusion
4. Take Photographs:
 - Extra-oral: Smiling front
 - Intra-oral: Open front
 - Intra-oral: Biting front
 - Intra-oral: Biting left
 - Intra-oral: Biting right
 - Intra-oral: Maxilla occlusal
 - Intra-oral: Mandible occlusal
5. Patient Satisfaction Survey:
 - Comfort (1 = low to 5 = high)
 - Aesthetics (1 = low to 5 = high)
 - Function (1 = low to 5 = high)
 - Overall happiness with treatment decision (1 = low to 5 = high)
6. Prosthesis Survival: Y/N
7. Prosthesis Success: Y/N
8. Length of Appointment:
9. Complications:
10. Submit review information to AuDentes

 www.audentes.com.au/reviews



4 or 6 Month Review Protocol

Surgical Review:

1. Torque test
2. CBCT

Restorative Review:

1. Review oral hygiene (use of water pick / floss / brushing)
2. Remove bridge and clean the bridge. One option is using the Sympro System by Renfert
3. Re-insert bridge
4. Cover access holes with PTFE and composite
5. Take Photographs:
 - Extra-oral: Smiling front
 - Intra-oral: Open front
 - Intra-oral: Biting front
 - Intra-oral: Biting left
 - Intra-oral: Biting right
 - Intra-oral: Maxilla occlusal
 - Intra-oral: Mandible occlusal
6. Complete Patient Satisfaction Survey:
 - Comfort (1 = low to 5 = high)
 - Aesthetics (1 = low to 5 = high)
 - Function (1 = low to 5 = high)
 - Overall happiness with treatment decision (1 = low to 5 = high)



7. Prosthesis Survival: Y/N
8. Prosthesis Success: Y/N
9. Length of Appointment:
10. Complications:
11. Submit review information to AuDentes

 www.audentes.com.au/reviews



Annual Review Protocol

Restorative Review:

1. Take OPG:
2. Take Photographs:
 - Extra-oral: Smiling front
 - Intra-oral: Open front
 - Intra-oral: Biting front
 - Intra-oral: Biting left
 - Intra-oral: Biting right
 - Intra-oral: Maxilla occlusal
 - Intra-oral: Mandible occlusal
3. Complete Patient Satisfaction Survey:
 - Comfort (1 = low to 5 = high)
 - Aesthetics (1 = low to 5 = high)
 - Function (1 = low to 5 = high)
 - Overall happiness with treatment decision (1 = low to 5 = high)
4. Cleaning the bridge: (in place or removed?)
5. Bridge removed for cleaning: Y/N
6. Reline bridge if necessary
7. Prosthesis Survival: Y/N
8. Prosthesis Success: Y/N
9. Length of Appointment:
10. Complications:
11. Submit review information to AuDentes

 www.audentes.com.au/reviews

Note: the patient will need to be recalled for cleaning at 3 to 12 month intervals depending on their ability to clean.

